MISSISSIPPI STATE DEPARTMENT OF HEALTH BUREAU OF PUBLIC WATER SUPPLY CCR CERTIFICATION FORM CALENDAR YEAR 2012 CALENDAR YEAR 2012 Public Water Supply Name List PWS ID #s for all Community Water Systems included in this CCR

The Federal Safe Drinking Water Act (SDWA) requires each Community public water system to develop and distribute a Consumer Confidence Report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed or delivered to the customers, published in a newspaper of local circulation, or provided to the customers upon request. Make sure you follow the proper procedures when distributing the CCR. Since this is the first year of electronic delivery, we request you mail or fax a hard copy of the CCR and Certification Form to MSDH. Please

k au boxes that apply.
Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
Advertisement in local paper (attach copy of advertisement) On water bills (attach copy of bill) Email message (MUST Email the message to the address below) Other
Date(s) customers were informed: 6 126 2013 / / /
CCR was distributed by U.S. Postal Service or other direct delivery. Must specify other direct delivery methods used
Date Mailed/Distributed: / /
CCR was distributed by Email (MUST Email MSDH a copy) As a URL (Provide URL As an attachment As text within the body of the email message
CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)
Name of Newspaper: Itawanba County Times
Date Published: 6 12612013
CCR was posted in public places. (Attach list of locations) Date Posted: / /
CCR was posted on a publicly accessible internet site at the following address (DIRECT URL REQUIRED):
Discretify that the 2012 Consumer Confidence Report (CCR) has been distributed to the customers of this water system in the form and manner identified above and that I used distribution methods allowed by DWA. I further certify that the information included in this CCR is true and correct and is consistent with a der quality monitoring data provided to the public water system officials by the Mississippi State ment of Health, Bureau of Public Water Supply. Duncy Durch (President, Mayor, Ownerless)

Deliver or send via U.S. Postal Service: Bureau of Public Water Supply P.O. Box 1700 Jackson, MS 39215

May be faxed to: (601)576-7800

May be emailed to: Melanic. Yanklowski@msdh.state, ms.us

2013 JUN 17 PM 2: 57

2012 Annual Drinking Water Quality Report Fulton Municipal Water System PWS#: 290003 June 2013

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is purchased from Northeast MS Regional Water Supply District.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identify potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the City of Fulton have received moderate rankings in terms of susceptibility to contamination.

If you have any questions about this report or concerning your water utility, please contact Andy Graham at 662.862.9004. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first and third Tuesdays of each month at 7:00 PM at the City Hall Boardroom.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2012. In cases where monitoring wasn't required in 2012, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure- ment	MCLG	MCL	Likely Source of Contamination
-------------	------------------	-------------------	-------------------	---	--------------------------	------	-----	--------------------------------

10. Barium	N	2012	.027	No Range	ppm		2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
15. Cyanide	Z	2012	78	No Range	ppb		200	200	Discharge from steel/metal factories; discharge from plastic and fertilizer factories
16. Fluoride	N	2012	.733	No Range	ppm		4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
Disinfectio	n By-	-Produc	ts						
81. HAA5	N	2012	37	No Range	ppb	0			y-Product of drinking water sinfection.
82. TTHM [Total trihalomethanes]	N	2012	32.4	No Range	ppb	0			y-product of drinking water nlorination.
Chlorine	N	2012	.1	.11	mg/l	0	MRDL =		ater additive used to control icrobes

^{*} Most recent sample. No sample required for 2012.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. We did complete the monitoring requirements for bacteriological sampling that showed no coliform present. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

To comply with the "Regulation Governing Fluoridation of Community Water Supplies", our system is required to report certain results pertaining to fluoridation of our water system. The number of months in the previous calendar year in which average fluoride sample results were within the optimal range of 0.7-1.3 ppm was 12. The percentage of fluoride samples collected in the previous calendar year that was within the optimal range of 0.7-1.3 ppm was 100%.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

*****April 1, 2013 MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING*****

In accordance with the Radionuclides Rule, all community public water supplies were required to sample quarterly for radionuclides beginning January 2007 – December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Mississippi State Department of Health Radiological Health Laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice. Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. This is to notify you that your water system has completed the monitoring requirements and is now in compliance with the Radionuclides Rule. If you have any questions, please contact Karen Walters, Director of Compliance & Enforcement, Bureau of Public Water Supply, at 601.576.7518.

The Fulton Municipal Water System works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

2013 JUN 26 PM 3: 02

PROOF OF PUBLICATION

STATE OF MISSISSIPPI

Botore the	undorsigned, a_	Charlotte W	ري
in and for said st	ate and county,_	Charlottino	ooke
general manager	of the		,
	ITAWAME	BA COUNTY TIMES	
of which the article newspaper as fol	Drimk cle hereunto atta lows:	a newspaper a newspaper of county and state, makes on the condition of the	th that the
11.1 116		, Date Dune 26.	
	, No	, Date	20
			20
Volume	, No		

had a bona fide circulation in said city, county and state for more that one year next proceeding the first date written above.

General Manager signed subscribed before me this the _, 20_

d

e

e

e

e

VIII f

e

- Commercial State of the State

1.

Carried 11 V

1

-

2012 Annual Orinking Water Quality Report Fulton Municipal Water System PWS#: 20003 · 中国 100 / .. June 2015

We'repleased to present to you this year's Annual Quality-Water Report. This report is designed to informinate should be quality water and services us taliver to you every day. Our constant goal is to provide you with a sale, and dependable supply of drinking woles. We want you to understand the efforts we make to constantly improved they water resumment process and protect our great resources. We ster committed to ensuring this quality of your water. Our water council is purchased from Northeast 186 Regional Wester Supply plants.

The source water segmenters has been completed for our public water system to determine the byeriell succeptibility of its drinking water supply to lightify potential sources, or conjumination, whireput, orthanding detailed information, on new the succeptibility determinations were must have been formalished or or building water system and is swaltable for vigoring upon request. The water but the City of Fulton have required moderage rendings in some or succeptibility to conjumination.

Oily of Fullon have recisived incolerate rankings interms of suspigibility to containination.

If you have any questions shoul this report or concerning your water utility, peace contact Anilly Graham at 682.882.8004, We want our valued customers to be intermed about their water utility. If you want to learn more, pleased thisned any of our requisity scheduled meetings. They are held on the first and third Tuesdays of sector more to Full Floridation.

We coultely more for constituents in your drinking water according to Rederal and State leve. This table below lists all of the drinking water contaminants that were delected during the period of sensing. If to Desember 31° 2012, in cases where monitoring water required in 2012, the table pelow lists all of the drinking water according to Rederal and State leve. This table below lists all of the drinking water required in 2012, the table pelow lists all of the drinking water required in 2012, the table pelow lists all of the drinking water required in 2012, the table pelow lists all of the drinking water required in 2012, the table pelow lists all of the drinking water required in 2012, the table pelow lists all of the drinking water required in 2012, the table pelow lists all of the drinking water required in the surface of and or undergrating, from the presence of animals or from human admits, understanding and waters and bacteria, that may before from the presence of animals or from human admits, understanding the surface of the result of the freshed of the from the presence of the freshed of the surface of the result of the freshed of the freshed of the freshed of the result of a land gas production and the violation experience of the surface of the problem of the production of an employed production of the produ

Terrier affire seen brases from rated voy den off the religion of the second se

Asion Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a wester system must follow:

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the nighted level of a contaminant title is allowed in tidning water. MCLs are set as close to the MCLGs as regardle using the best relatival bids treatment technology.

Millelmum Confeniment Level Goal (MCLG) - The 'Goal' (MCLG) is the level of a confemiment in drinking water below which there is known or expensed risk to health. MCLGs allow for a margin of setting.

Meximum Residual Distributions Level (MRDL) — The highest level of a distribution ellowed in distribution water. There is dominions witten the addition of a distribution is necessary for control migratics contaminants.

Maximum Residual Disinfectant Level Goel (NERDLG) — The level of a dinking water disinfectant backs which there is no known or expected tisk of health. MRDLGs do not reflect the behalfs of the use of disinfectants to control microbial constraints.

Plants per million (topm) or falligrams per litter (might) - one past per million) corresponds to one minute in one years one shall penny in \$10,000.

Parts per billion (ppb) of Micrograms per liter - one part per billion odresponds to bus minute in \$000 years, or a single party in \$10,000,000.

		المتعدد والمادات		TEST RES	ULTS			
Ponteminant	Violetien,	Canadad Scoledad	I:pval Detected	Range of Datects or 6 of Samples Sporeding MGL/ACL	Measury- ment	MCLG	NO.	Likely Source of Contempation
laorganic C	ontain	one fa		1	1	- s	20.7	1 1 2 4 1

10. Berlum	N	2013	.027	No Range	ppin .		' 2	Distriburge of drilling vession; cliedharge from metal refinacion; whether of hattest descells
18. Cynnido	N	2012	78	No Kange	bbp	900	: 200	Chipcharge from speakingstell fectoring; clechnige from plastic and fertilizer fectories
ta. Fluorida	N	2012	,733	No Range	ppm 3-	*	•	Efrosion of natural deposits; weter additive which promotes strong testin discharge train tertilizer and eliuminum factories

Disinfection By-Products BI. HAAR 2012 60 By-Product of Brinking les disinfection. 80 By-product of drinking we chiefriction. 43, TTHM Trotal InhalomethanesT 32.4 mgn 1-1 0. MRDL #4. Water additive used to central

We are required to monitor your drinking water for epecific constituents on a monthly basis. Reseats of regular monitoring are an indicator of which corner or not our drinking water needs health standards. We did complete the monitoring requirements for heateriological samples showed no collowing present. Inter effort to ensure systems complete all monitoring requirements, Might now notifies systems of any missing samples prior to the end of the compilance period:

if prisent, elevated sevels of lead can cause seatous health problems, especially for pregnant women and young children. Lead in thirding water is primarily from materials and componently associated with earliest on an analysis of providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been eithing for everal hours, you pan militable the potential for lead exposure by stabiling your tap for 30 excends to 2, minutes before using wester for chinking or coaking, if you are contented about the least in your beat of the basis your tap for 30 excends to 2, minutes before using wester for chinking or coaking, if you are contented about the least in your basis in your tap for 30 excends to 2, minutes before using wester for chinking or coaking, if you are contented about the least in your basis to shall be have your water tested (information an lead in drinking water, tasking metiods, and papes you pen take so minimize exposure is evaluable type the least in your tap for the penting of th